



KONDESHWAR INJECTO PVT. LTD

INTRODUCTION OF THE FIRM

- ❑ Organization: **KONDESHWAR INJECTO PVT. LTD**
- ❑ Location: Chakan, Pune
- ❑ Area : 18000 sq.ft.
- ❑ Type of organization: Privet limited
- ❑ Product Range: Automobiles / Appliances
- ❑ GST No.: 27AAJCK6390B1ZG
- ❑ Plant Head: Mr. Nivrutti Andhale (M:7219048373)
- ❑ Marketing & NPD Mr. Pankaj Bhirud (M: 7744956516)
- ❑ E-Mail: kondeshwarinjecto@gmail.com,
- ❑ planthead@kondeshwarinjecto.com

ABOUT KONDESHWAR INJECTO PVT. LTD.



- KONDESHWAR INJECTO PVT. LTD. is established in the year 2022. This is an ISO 9001, IEC & IATF certified Engineering Products Manufacturing organization.
- KONDESHWAR INJECTO PVT. LTD. is a customer focused Organization driven by values & systems.
- To strive relentlessly with an aim to achieve excellence in all businesses that we venture into, with the objective of becoming an organization that all its employees and associates are proud of.



Vision

Kondeshwar Injecto Pvt. Ltd strives to be the premier choice for rapid plastics solutions based on outstanding performance of its highly-committed team. It will continue to work towards making a difference in the lives and future of its employees and communities while advancing the success of its customers.



Mission

To exceed the expectations of our customers by delivering fast, reliable and superior solutions that are unsurpassed by our competition.



Values

Ensure a safe work environment by maintaining a physically safe facility, and providing a workplace where employees can freely express their professional opinions, beliefs and ideas.



Commitment

Kondeshwar Injecto Pvt. Ltd recognizes the importance of the putting these values into practice and ensuring they guide our decisions, our actions and ultimately lead to our success:


- KONDESHWAR INJECTO PVT. LTD. strives to manufacture world class injection Moulded products and Master batches to achieve customer satisfaction by continual improvement of QMS.
- KONDESHWAR INJECTO PVT. LTD. believes Quality is a shared responsibility by competent human resources using state of the art infrastructure for conducive work environment.
- KONDESHWAR INJECTO PVT. LTD. is committed to drive business by constantly upgrading skills, use of innovative technology and offering solutions to meet ever changing needs of our customer.
- KONDESHWAR INJECTO PVT. LTD. is committed to comply with all applicable Statutory & Regulatory requirements.

Quality Objectives


- Quality Objectives
- 100% On time delivery
- Increase customer satisfaction index above 90%
- Initiate at least one continual improvement programme each year
- Training plan vs actual 100%
- Accident free environment
- Continual improvements through Kaizen




Organization Structure



Plant Customers & Sale Contribution



Standard Process Flow



ISO,IEC & IATF Certification



Government of India / भारत सरकार Ministry of Commerce and Industry / वणिज्य और उद्योग मंत्रालय Directorate General of Foreign Trade / प्रविष्टि श्रवण महानिदेशालय	
Office of the Joint Director General of Foreign Trade, Puns नमिका महानिदेशक, विदेश व्यापार का कर्ताव्य, पुणे C Block, PMT Commercial Complex PB NO.1623, PUNE, MAHARASHTRA, 411042 / सी ब्लॉक, पोस्टल कॉड 411042, पंमनिका नवी नंबर 1623, पुणे, महाराष्ट्र, 411042	
Importer-Exporter Code	
This is to certify that KONDESHWAR INJECTO PRIVATE LIMITED is issued an Importer-Exporter Code (IEC) AAJCK6390B with details as follows -	
IEC	AAJCK6390B
सवाई खाता नं. (फै) / PAN	AAJCK6390B
फर्म का नाम / Firm Name	KONDESHWAR INJECTO PRIVATE LIMITED
निगम की प्रकृति / Nature of Concern	Private Limited
जारी करने की तारीख / Date of Issue	21/11/2023
पता / Registered Address	FLAT NO. 13, SHIRAM RESIDENCY, SHIRAM NAGAR, SHIRAPUR ROAD, CHAKAN, PUNE, PUNE, MAHARASHTRA, 410501
धर्मक का नाम / Name of the Signatory	SHITAL NITIN SUTAR
Director / Partner Details	Refer online at https://dgft.gov.in or scan the QR Code
शखा/खाई / Branch Details	Refer online at https://dgft.gov.in or scan the QR Code
Last Modified : 21/11/2023 File Number : PUNIECPA/PLY00017270AM24	
	
Note : This is a system-generated certificate. Authenticity / Updated details of the IEC can be checked at official DGFT website https://dgft.gov.in by entering the IEC and Firm Name under Services > View Any IEC Details. You can also authenticate the certificate by scanning the QR code.	

qualityaustria Certification	
	
CERTIFICATE	
Quality Austria Certification GmbH awards this qualityaustria certificate to the following organisation:	This qualityaustria certificate confirms the application and further development of an effective
KONDESHWAR INJECTO PVT. LTD. GAT NO - 201, MAHALUNGE TALUKA - KHED, CHAKAN, Pune-410501, Maharashtra, India	
QUALITY MANAGEMENT SYSTEM complying with the requirements of standard IATF 16949:2016 without product design	
Manufacturing of Plastic Injection Molded Components & their subassembly	Registration No.: T7-175180 IATF-UST: G066MA IATF-Registration No.: 0576568 Issue Date: 27 June 2025 Expiration Date: 26 June 2028 Vienna, 27 June 2025
	Quality Austria Certification GmbH AT-1010 Vienna, Zeilnagasse 103  Mag. Christoph Mond CEO  Mag. Dr. Werner Paar CEO  Ing. Christoph Baumgartner, MSc, MBA Authorized representative, management Customer Service Center

ISO 9001:2015

IEC

IATF Certificate

**KONDESHWAR
INJECTO**
Facilities

Injection Moulding Facility

Die Maintenance & Tool room Facility

Wiring Harness Assembly



❖ Utility & Auxiliary equipment details :

- Cooling tower 100 TR
- Dehumidifying
- 100% Power Backup.
- Compressed Air
- Chillers 3 TR
- Mold Loading/ Unloading Crane 10 Ton

❖ Total Injection Moulding M/Cs : 07 Nos.

❖ M/C Range : From 100T to 650T

❖ Makes :

- 1) FCS
- 2) LK

❖ Variety of Material:

- Acrylonitrile Butadiene Styrene (ABS), Polypropylene. Polycarbonate, Polyamide (Nylon 30%), Polyamide (Nylon 15% GF) ,POM, PPTF 10%

❖ Die Maintenance & Tool room Facility.

Moulding Facilities



Moulding Machine - 100 ton



Moulding Machine -150 ton



Moulding Machine -200 ton



Moulding Machine -300 ton



Moulding Machine -400 ton



Moulding Machine -470 ton



Moulding Machine - 650 ton

Moulding Machine Auxiliaries



Dehumidifying



Hot Runner System



Cooling Tower



Mould Temperature
Controller



DG Set up Available 24/7

Machine Details

Parameters	100 T FCS	150 T FCS	200 T FCS	300 T FCS	400 T FCS	470 T FCS	650 T LK
Tie Bar Distance (mm)	355 X 355	462 X 462	505 X 505	605 X 605	730 X 730	820 X 820	1050 X 910
Min. Mold Height (mm)	120	299	332	200	250	250	400
Clamp Stroke (mm)	350	460	520	610	670	730	1000
Daylight Distance (mm)	430	720	1000	1000	1400	1400	1750
Screw Diameter (mm)	34	44	50	65	68	75	90
Shot Weight. in gms PS	124	277	402	769	1011	1495	2496
Core Option- Yes/ No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Single / Double Core	Single	Double	Double	Double	Double	Double	Double


Equipment's Details

Sr. No.	Equipment no.	Equipment Name	Make	Specification	Capacity
1	MTC-01	Mould Temperature Controller	Auxillink	90 to 140 degree Temp. (Oil + Water)	15 Ltr. Tank
2	HRC-01	Hot Runner Controller	Auxillink	190 to 400 degree Temp.	04 Zone
3	HD 01	Hopper Dryer	Auxillink	200 Temp.	100Kgs
4	HD 02	Hopper Dryer	Auxillink	200 Temp.	100 Kgs
5	HD 03	Hopper Dryer	Auxillink	200 Temp.	50 Kgs
6	HD 04	Hopper Dryer	Auxillink	200 Temp.	50 Kgs
7	HD 05	Hopper Dryer	Auxillink	200 Temp.	50 Kgs
8	HD 06	Hopper Dryer	Auxillink	200 Temp.	50 Kgs
9	HD 07	Hopper Dryer	Auxillink	200 Temp.	50 Kgs
10	MTC-02	Mould Temperature Controller	Auxillink	90 to 140 degree Temp. (Oil + Water)	15 Ltr. Tank
11	HRC-02	Hot Runner Controller	Auxillink	190 to 400 degree Temp.	06 Zone
12	CT 01	Cooling Tower	Bhakti	100 TR	----
13	CR 01 & 02	Mould Loading/ Unloading Crane	---	10Tons.	10 Tons

Part & Raw Material Details

Part Description	Raw Material	Grade	Colour Shade	M.B. Grade	MASTER BATCH %
OUTER BEZEL HIGH GLOSS KAROQ LH/RH	PCABS	LG LUPOY	BLACK	NA	NA
OUTER BEZEL HIGH GLOSS KAROQ CL/CR	PCABS	LG LUPOY	BLACK	NA	NA
BEZEL MOLDED LH/RH	PCABS	LOXIMA	BLACK	NA	NA
OUTER BEZEL CHROMED	PCABS	T-45	NATURAL	NA	NA
OUTER BEZEL HAIGH GLOSS	PCABS	LG LUPOY	BLACK	NA	NA
SHORT BEZEL LH BLACK HIGH GLOSS	PCABS	LG LUPOY	BLACK	NA	NA
V-VANE BEARING BLOCK UPPER LH KAROQ	POM	HOSTAFORM	BLACK	NA	NA
SLIDER KNOB LH KAROQ	PCABS	LOXIMA	BLACK	NA	NA
KNOB FORK	NYLON 15% GF	DOMO	BLACK	NA	NA
V-VANE LINK BAR KAROQ	POM	HOSTAFORM	BLACK	NA	NA
SIDE COVER LH/RH	ABS	TAITALAC 5000W	BLACK	UNIVERSALBLACK	2.0
TMTL HOUSING LH/RH	PP CP		BLACK	NA	NA
LID DIN 66	PP CP	PROPEL	BLUE	BLUE	2.0
LID DIN 66	PP CP	PROPEL	GREEN	GREEN	2.0
LID DIN 66	PP CP	PROPEL	RED	BLUE	2.0
OUTER BEZEL CROME KAROQ LH/RH	PCABS	T45	NATURAL	NA	NA
OUTER BEZEL CROME KAROQ CL/CR	PCABS	LG LUPOY	BLACK	NA	NA
PADEL	NYLON 30%	70G30	BLACK	NA	NA
MAX DRAIN SMALL	PPTF 10%		BLACK	NA	NA
MAX DRAIN BIG	PPTF 10%		BLACK	NA	NA

DIN66 LID



B-24 CONTAINER








B-20 LID BLACK



BLIND PLUG



Products manufactured – Auto Sector

7B LID ORANGE



9B CONTAINER WHITE



PADDLE



Products manufactured – Auto Sector

MAX DRAIN



CNG COVER



Console Bracket Big



White Marble Canopy Plate



Vent Plug Blue



B-19 LID BLACK



Products manufactured – Auto Sector

UNDER SEAT COVER



BEZEL FRONT PANEL



INNER PANNEL- VBROSS



BACK COVER



MF4 DC LID BLACK



Products manufactured – Auto Sector

BEZEL HIGH GLOSS



CARRIAR PLAT SL/CL





SIDE COVER LH/RH



AIR DUCT LH/RH



SEATING SYSTEM- FRONT AND REAR



Customers





Semi-Automatic Grinding
Machine



Semi-Automatic Radial Drill
Machine



Band Saw
Machine



Semi-Automatic Lathe Machine with range-for Round Bar-0-65mm and Plate Size-10*10*10mm to 350*350*100mm. Bed Size-7Feet.



M1TR Semi Automatic Milling Machine With Cutter Range upto- 60mm diameter




Radial Drill Machine with
capacity-1mm-105mm diameter drill size.
Make-Kitchen Walker




Manual Screw Jack for fitment
purpose



Air Vent Bezel




Core Half



Cavity Half

D Compression Air Vent




Core Half




Cavity Half

Hook Cover




Core Half




Cavity Half

Cargo Hook Cap



Core Half



Cavity Half


Measuring Instrument



Surface Plate



Height Gauge



Bevel Protector



DFT meter

Shop Floor Details :

- Assembly Line : 2
- Crimping Station : 2
- Wire Cutting Station : 1
- Final Inspection Station : 1
- Heat Shrinking Stations : 2
- Sleeve Cutting Station : 1

Sr. No	NAME	Qty
1	Semi Automatic Crimping Machine 2 Ton	2
2	Fully Automatic Wire Cutting , Stripping and Twisting Machine	1
3	Semi Automatic Wire Stripping Machine	1
4	Fully Automatic Sleeve Cutting Machine	1
5	Digital Push-Pull Tester	1
6	Conveyorised Heating Oven	1
7	Tinning bath / Soldering Pot	1
8	Heat Gun	1
9	Adhesive Dispenser	1

Wiring Harness Machinery Details



Semi Automatic
Crimping Machine -2
Ton



Fully Automatic Wire
Cutting , Stripping and
Twisting Machine



Conveyorised Heating
Oven



Fully Automatic Sleeve
Cutting Machine

Wiring Harness Machinery Details



Digital Push-Pull Tester



Tinning bath / Soldering Pot




Heat Gun

Wiring Harness Assembly

Our Services :


1. Complete Wire Harness Manufacturing
2. Wire Cutting , Stripping and Twisting followed by Tinning & Crimping Process.
3. Soldering

Our Products Sample Images :



- Middle management staff to be increase.
- Additional 22000 Sq Ft new shade to be added.
- 2 Injection Molding Machine to be added- 950T & 1200T in new shade.
- In Tool Room to be added VMC machine 1 nos & EDM machine 1 nos.
- New lab instruments to be added-MFI Tester/Ash Tester.
- ISO 14001(EMS) to be implement on oct.26

Organization Structure



New Shade– 22000 SQ FT,



New Machine to be added



Moulding Machine - 950 ton



Moulding Machine - 1200 ton

Tool Room to be added VMC & EDM MC



VMC Machine



EDM Machine



MFI Tester



ASH Contained Tester





1) Name : Mr. Nivrutti Andhale
Mob.No. : +91- 7219048373

2) Name : Mr. Pankaj Bhirud
Mob.No. :+91- 7744956516



CORPORATE OFFICE ADDRESS :

Shop NO. 06, Shubham Complex, Shri Ram
Nagar, Shikhrapur Highway, Tal. Khed, Dist.
Pune – 410501

WORK ADDRESS :

Gat no: 25/2, Mahalunge (I), Mahalunge
Ambethan Road, Near Volkswagen
material gate, Tal khed Dist: Pune,
Pin Code – 410501 ,
Maharashtra, India
GSTIN : 27AAJCK6390B1ZG



ASSOCIATED WITH

COWBOY.TM

THANK YOU